




# HD

## SERIES

中负荷  
Medium Duty

孔用  
Internal



型号	孔径	环 (IN)			槽 (IN)		强度 (KN) <sup>3</sup>				
		外径	线宽	线厚	槽径	槽厚					
HD-50	0.500	0.532	0.045	0.025	0.526	0.03	2000				
HD-51	0.512	0.544	0.045	0.025	0.538	0.03	2050				
HD-53	0.531	0.564	0.045	0.025	0.557	0.03	2130				
HD-56	0.562	0.594	0.045	0.025	0.588	0.03	2250				
HD-59	0.594	0.626	0.045	0.025	0.619	±0.002	0.03	2380			
HD-62	0.625	0.658	0.045	0.025	0.651		0.03	2500			
HD-65	0.656	0.689	0.045	0.025	0.682		0.03	2630			
HD-68	0.687	0.720	0.045	0.025	0.713		0.03	2750			
HD-71	0.718	0.751	0.045	0.025	0.744		0.03	2780			
HD-75	0.750	0.790	0.065	0.031	0.782		0.036	3360			
HD-77	0.777	0.817	0.065	0.031	0.808		0.036	3480			
HD-78	0.781	0.821	+0.013/-0	0.065	0.812		0.036	3500			
HD-81	0.812	0.853		0.065	0.843		0.036	3640			
HD-84	0.843	0.889		0.065	0.880		0.036	+0.003/-0	3780		
HD-86	0.866	0.913		0.065	0.903		0.036		3880		
HD-87	0.875	0.922		0.065	0.912		0.036		3920		
HD-90	0.906	0.953		0.065	0.943	±0.003	0.036		4060		
HD-93	0.938	0.986		0.065	0.975		0.036		4200		
HD-96	0.968	1.022		0.075	1.011		0.042		5180		
HD-98	0.987	1.041		0.075	1.030		0.042		5280		
HD-100	1.000	1.054		0.075	1.043		0.042		5350		
HD-102	1.023	1.078		0.075	1.066		0.042		5470		
HD-103	1.031	1.084		0.075	±0.004	0.037	±0.003	1.074	0.042	5510	
HD-106	1.062	1.117		0.075	0.037			1.104	0.042	5680	
HD-109	1.093	1.147		0.075	0.037			1.135	0.042	5840	
HD-112	1.125	1.180		0.075	0.037			1.167	0.042	6020	
HD-115	1.156	1.210		0.075	0.037			1.198	0.042	6180	
HD-118	1.188	1.249		0.085	0.043			1.236	0.048	7380	
HD-121	1.218	1.278		0.085	0.043			1.266	0.048	7570	
HD-125	1.250	1.312		0.085	0.043			1.298	0.048	7770	
HD-128	1.281	1.342	+0.015/-0	0.085	0.043	±0.004	0.048	1.329	0.048	7960	
HD-131	1.312	1.374		0.085	0.043			1.360	0.048	8150	
HD-134	1.343	1.408		0.085	0.043			1.395	0.048	8350	
HD-137	1.375	1.442		0.095	0.043			1.427	0.048	8540	
HD-140	1.406	1.472		0.095	0.043			1.458	0.048	8740	
HD-143	1.437	1.504		0.095	0.043			1.489	0.048	+0.004/-0	8930
HD-145	1.456	1.523		0.095	0.043			1.508	0.048		9050
HD-146	1.468	1.535		0.095	0.043			1.520	0.048		9120
HD-450	1.500	1.567		0.095	0.043			1.552	0.048		9320
HD-156	1.562	1.634		0.108	0.049			1.617	0.056		10100
HD-157	1.574	1.649		0.108	0.049			1.633	0.056		10180
HD-162	1.625	1.701		0.108	0.049			1.684	0.056		10510
HD-165	1.653	1.750	+0.020/-0	0.108	0.049	±0.005	0.056	1.712	0.056		10690
HD-168	1.687	1.768		0.108	0.049			1.750	0.056		10910
HD-175	1.750	1.834		0.108	0.049			1.813	0.056		11310
HD-181	1.813	1.894		0.108	0.049			1.873	0.056		11720
HD-185	1.850	1.937		0.108	0.049			1.917	0.056		11960




# HD

## SERIES

中负荷  
Medium Duty

---

孔用  
Internal



型号	孔径	环 (IN)			槽 (IN)		强度 (KN) <sup>3</sup>	
		外径	线宽	线厚	槽径	槽厚		
HD-187	1.875	1.960	0.118	0.049	1.942	0.056	12120	
HD-193	1.938	2.025	0.118	0.049	2.005	0.056	12530	
HD-200	2.000	2.091	0.128	0.049	2.071	0.056	12930	
HD-204	2.047	2.138	0.128	0.049	2.118	0.056	13240	
HD-206	2.062	2.154	0.128	0.049	2.312	0.056	13330	
HD-212	2.125	2.217	0.128	0.049	2.195	0.056	13740	
HD-216	2.165	2.260	0.138	0.049	2.240	0.056	14000	
HD-218	2.188	2.284	0.138	0.049	2.262	0.056	14150	
HD-225	2.250	2.347	0.138	0.049	2.324	0.056	14550	
HD-231	2.312	2.413	0.138	±0.004	2.390	0.056	14950	
HD-237	2.375	2.476	0.138	0.049	2.453	0.056	15360	
HD-243	2.437	2.543	0.148	0.049	2.519	0.056	15760	
HD-244	2.440	2.546	0.148	0.049	2.522	0.056	15780	
HD-250	2.500	2.606	0.148	0.049	2.582	0.056	16160	
HD-253	2.531	2.641	0.148	0.049	2.617	0.056	16360	
HD-256	2.562	2.673	0.148	0.049	2.648	0.056	16560	
HD-262	2.625	2.736	0.148	0.049	2.711	0.056	16790	
HD-267	2.677	2.789	0.158	0.049	2.767	0.056	17310	
HD-268	2.688	2.803	0.158	0.049	2.778	0.056	17380	
HD-275	2.750	2.865	0.158	0.049	2.841	0.056	17780	
HD-281	2.815	2.929	0.158	0.049	2.903	0.056	18190	
HD-283	2.834	2.954	0.168	0.049	2.928	0.056	18320	
HD-287	2.875	2.995	0.168	0.049	2.969	0.056	18590	
HD-293	2.937	3.058	0.168	0.049	3.031	0.056	18990	
HD-295	2.952	3.073	0.168	0.049	3.046	0.056	19190	
HD-300	3.000	3.122	0.168	0.061	3.096	0.068	24150	
HD-306	3.062	3.186	0.168	0.061	3.158	0.068	24650	
HD-312	3.125	3.251	0.178	0.061	±0.003	3.223	0.068	25150
HD-314	3.149	3.276	0.178	0.061	3.247	0.068	25350	
HD-318	3.187	3.311	0.178	0.061	3.283	0.068	25650	
HD-325	3.312	3.379	0.178	0.061	3.350	±0.006	0.068	26160
HD-331	3.250	3.446	0.188	0.061	3.416	0.068	26660	
HD-334	3.346	3.479	0.188	0.061	3.450	0.068	26950	
HD-337	3.375	3.509	0.188	0.061	3.479	0.068	27170	
HD-343	3.437	3.574	0.188	0.061	3.543	0.068	27660	
HD-350	3.500	3.636	0.188	0.061	3.606	0.068	28170	
HD-354	3.543	3.684	0.198	0.061	3.653	0.068	28520	
HD-356	3.562	3.703	0.198	0.061	3.672	0.068	28670	
HD-362	3.625	3.769	0.198	±0.005	3.737	0.068	29180	
HD-368	3.687	3.832	0.198	0.061	3.799	0.068	29680	
HD-374	3.740	3.885	0.198	0.061	3.852	0.068	±0.005/-0	30100
HD-375	3.750	3.894	0.198	0.061	3.862	0.068	30180	
HD-381	3.812	3.963	0.208	0.061	3.930	0.068	30680	
HD-387	3.875	4.025	0.208	0.061	3.993	0.068	31190	
HD-393	3.938	7.089	0.208	0.061	4.056	0.068	31700	
HD-400	4.000	4.157	0.218	0.061	4.124	0.068	32200	
HD-406	4.063	4.222	0.218	0.061	4.178	0.068	32700	
HD-412	4.125	4.284	0.218	0.061	4.249	0.068	33200	
HD-418	4.188	4.347	0.218	0.061	4.311	0.068	33710	
HD-425	4.250	4.416	0.228	0.061	4.380	0.068	34210	




# HD

## SERIES

中负荷  
Medium Duty

孔用  
Internal



型号	孔径	环 (IN)			槽 (IN)		强度 (KN) <sup>3</sup>
		外径	线宽	线厚	槽径	槽厚	
HD-431	4.312	4.479	0.228	0.061	4.442	0.068	34710
HD-433	4.330	4.497	0.228	0.061	4.460	0.068	34850
HD-437	4.375	4.543	0.228	0.061	4.505	0.068	35210
HD-443	4.437	4.611	0.238	0.061	4.573	0.068	35710
HD-450	4.500	4.674	0.238	0.061	4.636	0.068	36220
HD-452	4.527	4.701	0.238	0.061	4.663	0.068	36440
HD-456	4.562	4.737	0.238	0.061	4.698	0.068	
HD-462	4.625	4.803	0.250	0.072	4.765	0.079	43940
HD-468	4.687	4.867	0.250	0.072	4.827	0.079	44530
HD-472	4.724	4.903	0.250	0.072	4.864	0.079	44880
HD-475	4.750	4.930	0.250	0.072	4.890	0.079	45130
HD-481	4.812	4.993	0.250	0.072	4.952	0.079	45720
HD-487	4.875	5.055	0.250	0.072	5.015	0.079	46310
HD-492	4.921	5.102	0.250	0.072	5.061	0.079	46750
HD-493	4.937	5.122	0.250	0.072	5.081	0.079	46900
HD-500	5.000	5.185	0.250	0.072	5.144	0.079	47500
HD-511	5.118	5.304	0.250	0.072	5.262	0.079	48620
HD-512	5.125	5.311	0.250	0.072	5.269	0.079	48690
HD-525	5.250	5.436	0.250	0.072	5.393	0.079	49880
HD-537	5.375	5.566	0.250	0.072	5.522	0.079	51060
HD-550	5.520	5.693	0.250	0.072	5.647	0.079	52250
HD-551	5.511	5.703	0.250	0.072	5.658	0.079	52360
HD-562	5.625	5.818	0.250	0.072	5.772	0.079	53440
HD-570	5.708	5.909	0.250	0.072	5.861	0.079	54230
HD-575	5.750	5.950	0.250	0.072	5.903	0.079	54630
HD-587	5.875	6.077	0.250	0.072	6.028	0.079	55810
HD-590	5.905	6.106	0.250	0.072	6.058	0.079	56100
HD-600	6.000	6.202	0.250	0.072	6.153	0.079	57000
HD-612	6.125	6.349	0.312	0.086	6.297	0.094	69500
HD-625	6.250	6.474	0.312	0.086	6.422	0.094	70920
HD-629	6.299	6.524	0.312	0.086	6.471	0.094	71480
HD-637	6.375	6.601	0.312	0.086	6.547	0.094	72340
HD-650	6.500	6.726	0.312	0.086	6.672	0.094	73760
HD-662	6.625	6.863	0.312	0.086	6.807	0.094	75180
HD-669	6.692	6.931	0.312	0.086	6.874	0.094	75940
HD-675	6.750	6.987	0.312	0.086	6.932	0.094	76600
HD-687	6.875	7.114	0.312	0.086	7.057	0.094	78010
HD-700	7.000	7.239	0.312	0.086	7.182	0.094	79430
HD-708	7.086	7.337	0.312	0.086	7.278	0.094	80410
HD-712	7.125	7.376	0.312	0.086	7.317	0.094	80850
HD-725	7.250	7.501	0.312	0.086	7.442	0.094	82270
HD-737	7.375	7.628	0.312	0.086	7.567	0.094	83690
HD-748	7.480	7.734	0.312	0.086	7.672	0.094	84880
HD-750	7.500	7.754	0.312	0.086	7.692	0.094	85110
HD-762	7.625	7.890	0.312	0.086	7.827	0.094	86520
HD-775	7.750	8.014	0.312	0.086	7.952	0.094	87940
HD-787	7.875	8.141	0.312	0.086	8.077	0.094	89360
HD-800	8.000	8.266	0.312	0.086	8.202	0.094	90780
HD-825	8.250	8.528	0.375	0.086	8.462	0.094	93620
HD-826	8.267	8.546	0.375	0.086	8.479	0.094	93810
HD-846	8.464	8.744	0.375	0.086	8.676	0.094	96050

# 螺旋挡圈




www.bolispring.com  
bolispring@aliyun.com  
+86-577-62799797

## HD

### SERIES

中负荷  
Medium Duty

孔用  
Internal



型号	孔径	环 (IN)				槽 (IN)				强度 (KN) <sup>3</sup>	
		外径		线宽	线厚	槽径		槽厚			
HD-850	8.500	8.780	0.375	0.086	8.712	0.094	96450				
HD-875	8.750	9.041	0.375	0.086	8.972	0.094	99290				
HD-885	8.858	9.151	0.375	0.086	9.080	0.094	100520				
HD-900	9.000	9.293	0.375	0.086	9.222	0.094	102130				
HD-905	9.055	9.359	0.375	0.086	9.287	0.094	102750				
HD-925	9.250	9.555	0.375	0.086	9.482	0.094	104960				
HD-944	9.448	9.755	0.375	0.086	9.680	0.094	107210				
HD-950	9.500	9.806	+0.655/-0	±0.006	0.086	±0.004	9.732	±0.007	0.094	+0.006/-0	107800
HD-975	9.750	10.068	0.375	0.086	9.992	0.094	110640				
HD-1000	10.000	10.320	0.375	0.086	10.242	0.094	113470				
HD-1025	10.250	10.582	0.375	0.086	10.502	0.094	116310				
HD-1050	10.500	10.834	0.375	0.086	10.752	0.094	119150				
HD-1075	10.750	11.095	0.375	0.086	11.012	0.094	121990				
HD-1100	11.000	11.347	0.375	0.086	11.262	0.094					